

## Material Safety Data Sheet

Company: DALCHEM, MOSKOVSKOE SHOSSE, 85, Nizhny Novgorod, 603000, RUSSIA TEL: +7 (8312) 753-772, FAX: +7 (8312) 750-799

SECTION 1: Product Identification	TEL. + 7 (8312) 733-772, TAX. +7 (8312) 730-799								
Product name	SECTION 1: Product Identification								
Catalog # 0640900  Chemical family	Product name								
SECTION 2: Composition, Information on Ingredients	CAS#								
SECTION 2: Composition, Information on Ingredients   Component   %   CAS#   EINECS#   Hazard Symbol   R-Phrase	Catalog #								
Component	Chemical family								
Component									
Tris(ethylcyclopentadienyl)- gadolinium  SECTION 3: Hazard Identification  Emergency overview Irritating to the eyes, skin and respiratory system. Flammable solid.  Eye contact Irritation to the eyes. Skin contact Irritation to the respiratory tract. Ingestion Ingestion may lead to thermal burns, vomiting and diarrhea.  Chronic health effects  SECTION 4: First Aid Measures  Eye exposure Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Inhalation Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	SE	SECTION 2: Composition, Information on Ingredients							
SECTION 3: Hazard Identification  Emergency overview Irritating to the eyes, skin and respiratory system. Flammable solid.  Eye contact Irritation to the eyes. Skin contact Irritation to the eyes. Skin contact Irritation to the respiratory tract. Ingestion Ingestion Ingestion may lead to thermal burns, vomiting and diarrhea.  No information available.  SECTION 4: First Aid Measures  Eye exposure Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Component		%	CAS#	EINECS #	Hazard Symbol	R-Phrase		
SECTION 3: Hazard Identification  Emergency overview Irritating to the eyes, skin and respiratory system. Flammable solid.  Eye contact Irritation to the eyes. Skin contact Irritation to the eyes. Skin contact Irritation to the respiratory tract. Ingestion Ingestion Ingestion may lead to thermal burns, vomiting and diarrhea.  No information available.  SECTION 4: First Aid Measures  Eye exposure Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Tris(ethylcyclopentadi	enyl)-	99	307531-69-7	none	F	11 14/15		
Emergency overview Eye contact Irritation to the eyes. Skin contact Irritation to the skin. Inhalation Irritation to the respiratory tract. Ingestion Chronic health effects  SECTION 4: First Aid Measures  Eye exposure Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Inhalation Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Emergency overview Eye contact Irritation to the eyes. Skin contact Irritation to the skin. Inhalation Irritation to the respiratory tract. Ingestion Chronic health effects  SECTION 4: First Aid Measures  Eye exposure Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Inhalation Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Irritation to the eyes.	SECTION 3: Hazard Identification								
Irritation to the eyes.	<b>Emergency overview</b>	Irritating to the eyes, skin and respiratory system. Flammable solid.							
Inhalation   Irritation to the respiratory tract.   Ingestion   Ingestion may lead to thermal burns, vomiting and diarrhea.	Eye contact								
Ingestion	Skin contact	Irritation to the skin.							
SECTION 4: First Aid Measures	Inhalation	Irritation to the respiratory tract.							
SECTION 4: First Aid Measures  Eye exposure  Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure  Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert		Ingestion may lead to thermal burns, vomiting and diarrhea.							
Eye exposure  Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure  Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert	Chronic health effects	No info							
Eye exposure  Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.  Skin exposure  Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Skin exposure   Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.    Inhalation   Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.    Ingestion   If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.    SECTION 5: Fire Fighting Measures									
Skin exposure Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Eye exposure						occasionally		
least 15 minutes while removing contaminated clothing and shoes.  Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Inhalation Remove from exposure to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Skin exposure	_			• • • • • • • • • • • • • • • • • • • •				
respiratory problems, such as difficulty in breathing, pain, etc. In such cases seek immediate medical assistance.  Ingestion  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert	T 1 1 4								
Ingestion  If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information  Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert	Inhalation								
If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.  SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert		· · · · · · · · · · · · · · · · · · ·							
SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Ingestion								
SECTION 5: Fire Fighting Measures  General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Ingestion				t, give 2 i eapit	of mark of water.	Get medicar		
General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert				<i>J</i> :					
General information Flammable solid. If this material is involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	SECTION 5: Fire Fighting Measures								
equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert	General information						rs should be		
apparatus and full protective clothing.  Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Extinguishing media  Don't use water! Use dry chemical, carbon dioxide.  SECTION 6: Accidental Release Measures  Spill and leak  Small spills can be mixed with vermiculite or sodium carbonate or other inert									
SECTION 6: Accidental Release Measures  Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	Extinguishing media						_		
Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert									
Spill and leak Small spills can be mixed with vermiculite or sodium carbonate or other inert	SECTION 6: Accidental Release Measures								
	Spill and leak						or other inert		
procedures indicated and swept up.	procedures	material and swept up.							

	<del>-</del>					
	SECTION 7: Handling and Storage					
Handling	Avoid contact with skin, eyes and clothes. Handle under inert atmosphere of argon or nitrogen.					
Storage	Store in a cool, dry place. Store in a tightly closed container. Keep away from					
	the air, moisture, open flame and heat. Store under inert atmosphere of argon or					
	nitrogen.					
SEC	CTION 8: Exposure Controls and Personal Protection					
Eye protection	Always wear approved safety glasses when handling a chemical substance in the					
	laboratory.					
Skin protection	Wear protective gloves.					
Ventilation	Handle the material only in an efficient fume hood.					
Respirator	If ventilation is not available a respirator should be worn. The use of respirators					
	requires Respirator Protection Program to be in compliance with 29CFR					
	1910.134.					
	SECTION 9: Physical and Chemical Properties					
Appearance	Light yellow pwdr.					
Odor	No data					
Melting point	No data					
Boiling point	No data					
Flash point	No data					
Solubility in water	Reacts with water					
Specific gravity	No data					
Molecular formula	C21H27Gd					
Molecular weight	436.69					
	SECTION 10: Stability and Reactivity					
Stability	Air and moisture sensitive solid.					
Hazardous	No hazardous polymerization.					
polymerization						
Conditions to avoid	Incompatible materials. Contact with moist air or water.					
Incompatibilities with	Strong oxygen agents, halogens, water.					
other materials						
Hazardous decompo-	Carbon dioxide, carbon monoxide, gadolinium oxide, organic fumes.					
sition products						
SECTION 11. Toyicalogical Information						
RTECS Data	SECTION 11: Toxicological Information  No data available.					
Carcinogenic effects	No data available.					
Mutagenic effects	No data available.					
Tetratogenic effects	No data available.					
1001400gcmc circus	110 Gam GTHIHOIO.					
SECTION 12: Ecological Information						
Ecological	No data available					
information						
	SECTION 13: Disposal Considerations					
Dispose	Dispose of in a manner consistent with federal, state, and local regulations.					

SECTION 14: Transport Information						
Shipping name (CFR)	Flammable solid, organic, N.O.S.					
Hazard class (CFR)	4.1					
Additional hazard	NA					
class (CFR)						
Packing group (CFR)	II					
UN ID number (CFR)	1325					
Shipping name	Flammable solid, organic, N.O.S.					
(IATA)						
Hazard class (IATA)	4.1					
Additional hazard	NA					
class (IATA)						
Packing group	II					
(IATA)						
UN ID number	1325					
(IATA)						
SECTION 15: Regulatory Information						
TSCA	Title compound is not listed.					
SARA	Not reportable under SARA Title 313.					
SECTION 16: Other Information						
Preparation date	25.01.2008					
Revision date	25.01.2008					

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.